

# Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00  
(stock permitting)

## PRO CLIMA

## MEMBRANES

| Code      | INTERNAL     |  | Dimensions per roll              | ex VAT  |
|-----------|--------------|--|----------------------------------|---------|
| PC-IP50   | INTELLO PLUS | <b>Robust vapour check/ internal airtight membrane</b> , with intelligent vapour diffusion allowing drying to the inside in summer due to variable permeability; maximum protection against moisture damage; widely used in timber frame buildings | 1.5m X 50m - 75m <sup>2</sup>    | £187.20 |
| PC-IP20   |              |  | 1.5m X 20m - 30m <sup>2</sup>    | £82.00  |
| PC-IP5030 |              |  | 3m x 50m - 150m <sup>2</sup>     | £374.40 |
| PC-DB+    | DB PLUS      | Paper based vapour check/ airtight membrane for intelligent vapour diffusion - for those wanting more ecological solution; delicate to install   | 1.35m X 50m - 67.5m <sup>2</sup> | £127.00 |
| PC-CV2350 | Constivap    | <b>Simple vapour barrier and airtight sealing membrane</b> , semi-transparent, not breathable  | 1.5m X 50m - 75m <sup>2</sup>    | £130.50 |
| PC-DA     | Solitex DA   | robust vapour check (diffusion closed) - suitable for areas with heavy ware & tear   | 1.5m X 50m - 75m <sup>2</sup>    | £133.00 |

| Code      | EXTERNAL                |  | Dimensions                      | ex VAT  |
|-----------|-------------------------|--|---------------------------------|---------|
| PC-SP1    | SOLITEX PLUS            | <b>Highly vapour permeable and robust roof underlay with exceptional weather tightness</b> in all conditions; closed cell technology ensures breathability is maintained in extreme wet and cold conditions, where microporous membranes can fail  | 1.5m x 50m -75m <sup>2</sup>    | £180.00 |
| PC-SP2    | Solitex plus small roll |  | 1.5m x 15m - 22.5m <sup>2</sup> | £68.00  |
| PC-FWA150 | SOLITEX FRONTA WA       | Vapour permeable fully windtight breather membrane, designed as a <b>wall lining membrane for timber frame structures</b> ; also ideal for use as an airtight breathable membrane when <b>insulating a suspended timber floor</b> - install on the cold side/underneath the insulation.  | 1.5m x 50m - 75m <sup>2</sup>   | £113.20 |
| PC-FWA300 |                         |  | 3.0m x 50m - 150m <sup>2</sup>  | £225.90 |
| PC-FQ     | SOLITEX Quattro         | Highly diffusion permeable, but with maximum resistance to driving rain; <b>for use with open &amp; closed facades</b> , with up to 35mm gap; designed to maximise ability for drying of wall structure; <b>tested for up to 6 months UV/outdoor exposure</b>  | 1.5 x 50m - 75m <sup>2</sup>    | £216.00 |
| PC-SEA    | SOLITEX Adhero          | <b>Sticky version of the Solitex Plus, for external wrapping of timber frame building.</b> Highly diffusion permeable/breathable and weather resistant, but with resistance to driving rain (10,000mm), UV tollerant (3 months exposure) and the trademark Proclima deep penetration all acrylic glue with its 100 year aging certification. | 1.5 x 30m - 45m <sup>2</sup>    | £298.20 |

## PRO CLIMA

## PAINT / SPRAY

| Code  | Paint/Spray on airtightness |  | unit size                           | ex VAT |
|---|-----------------------------|--|-------------------------------------|--------|
| PC-AV10<br>(standard Aerosana dries black, a special order white version is also available, PC-AV10W) | Aerosana Visconn            | Water-based liquid airtightness product for hand-painting or spray application. Can provide gap filling up to 3 mm, with careful application. Aerosana Visconn can provide long term airtightness and vapour control, maintaining its elasticity and adhesion to substrate. Can be used in conjunction with tapes and membranes. 2 generous coats needed to ensure good airtightness and attention must be taken particularly over uneven surfaces. Application must be in accordance with manufacturer's datasheet. | 10 litre (approx 13m <sup>2</sup> ) | £94.40 |

For more information or to place an order:

Tel: 01484 461705  
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

# Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00  
(stock permitting)

| PRO CLIMA |                               | PAINT / SPRAY (continued)  | unit size | ex VAT |
|-----------|-------------------------------|--|-----------|--------|
| Code      | Paint/Spray on airtightness   |  |           |        |
| PC-AV10   | <b>Aerosana Visconn Fibre</b> | Similar to Aerosana Visconn, but covers cracks up to 20mm. Need to fill gaps to a depth half the width of the gap. | 5 litre   | £58.50 |

| PRO CLIMA |  | TAPES | Dimensions | ex VAT |
|-----------|--|-------|------------|--------|
| Code      |  |       |            |        |

| Airtightness Tapes - window/door membrane sealing  |                      |   |             |        |
|--|----------------------|---|-------------|--------|
| Solid acrylic glue tapes - tested under accelerated ageing, confirming airtightness maintained for 100 years |                      |   |             |        |
| PC-TV  | <b>TESCON Vana</b>   | <b>Multipurpose tape, for straight joints</b> , including membranes, timber, smooth blockwork, etc.   | 60mm x 30m  | £22.50 |
| PC-TV150   | TESCON Vana - wide   | As above, wide version, with split backing  | 150mm x 30m | £55.00 |
| PC-TVP   | <b>TESCON PROFIL</b> | Flexible corner sealing tape, designed for <b>window/door sealing with split backing</b> strips 12mm and 48mm   | 60mm x 30m  | £28.00 |
| PC-TE51  | TESCON NO 1          | More stretchy version of Tescon Vana and Profil, useful for awkward joins or uneven surfaces  | 60mm x 30m  | £22.50 |
| PC-TINVIS  | TESCON INVIS         | Black version of Tescon Vana for concealing junctions, designed for sealing of external membrane in timber frame construction, UV resistant properties for up to 6 months | 60mm x 30m  | £24.00 |
| PC-T   | UNI TAPE             | Value tape paper-based, not stretchy, but same solid acrylic glue, internal use only  | 60mm x 30m  | £18.00 |

| TAPES - for plastering in - internal airtight & vapour retarding - solid acrylic glue |                          |  |             |        |
|---|--------------------------|--|-------------|--------|
| Code  |                          |  | Dimensions  | ex VAT |
| PC-SOLSL80  | <b>CONTEGA SOLIDO SL</b> | <b>for internal sealing of windows /doors and linking membrane to plaster surfaces</b> , providing outstanding vapour control; <b>fleece face is easy to plaster in</b> ; 80mm | 80mm x 30m  | £35.00 |
| PC-SOLSL100   |                          | has 2 peel off backing strips; 100 and 150 mm have 3 backing strips; very sticky tape; widely used   | 100mm x 30m | £43.50 |
| PC-SOLSL150   |                          |  | 150mm x 30m | £64.00 |
| PC-SOLSL200*  | <i>non stock item</i>    |  | 200mm x 30m | £85.50 |
| PC-SOLSLED80  | SOLIDO SL - D            | as above, but with additional adhesive strip on top side, for pre-sealing to window/door frame, prior to installation  | 80mm x 30m  | £49.00 |
| PC-SOLSLED100   |                          |  | 100mm x 30m | £58.00 |

| TAPES - for plastering in - external, diffusion open (vapour permeable, like the Solitex membranes) |                           |   |             |        |
|---|---------------------------|---|-------------|--------|
| Code  |                           |   | Dimensions  | ex VAT |
| PC-SOLEX080   | <b>CONTEGA SOLIDO EXO</b> | <b>for external sealing of windows and doors and plastering over</b> ; diffusion open fully windproof and resistant to driving rain; (2 peel off backing strips for 80mm to 150mm width rolls and 3 on the 200mm rolls) | 80mm x 30m  | £35.00 |
| PC-SOLEX0100  |                           |   | 100mm x 30  | £43.50 |
| PC-SOLEX0150  |                           |   | 150mm x 30m | £64.00 |
| PC-SOLEX0200  |                           |   | 200mm x 30  | £85.50 |
| PC-SOLEX0D80  | SOLIDO EXO - D            | as above, but with additional adhesive strip on top side, for pre-sealing to window/door frame, prior to installation   | 80mm x 30m  | £49.00 |
| PC-SOLEX0D100   |                           |   | 100mm x 30  | £58.00 |

For more information or to place an order:

Tel: 01484 461705  
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

# Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00  
(stock permitting)

| PRO CLIMA    |  | TAPES continued  |             |         |
|--------------|--|--|-------------|---------|
| Code         | TAPES - extremely robust Butyl adhesive waterproof tapes |  | Dimensions  | ex VAT  |
| PC-ENCORS100 | Extoseal - <b>Encors</b>                                 | Butyl water bearing adhesive connection tape with high adhesion strength<br><b>useful externally under window sills as a watertight flashing. The only Proclima Butyl tape with the Proclima solid acrylic glue.</b> Not suitable for prolonged UV exposure. | 100mm x 20m | £64.50  |
| PC-ENCORS150 |  |  | 150mm x 20m | £95.50  |
| PC-ENCORS200 |  |  | 200mm x 20m | £128.50 |
| PC-ENCORS300 |  |  | 300mm x 20m | £192.50 |
| PC-FINOC100  | Extoseal - <b>Finoc</b>                                  | Butyl <b>water tight</b> elastic sealing tape useful for <b>floor wall junctions</b> also on structural elements to prevent rising damp  | 100mm x 20m | £37.00  |
| PC-FINOC150  |  |  | 150mm x 20m | £53.50  |
| PC-FINOC200  |  |  | 200mm x 20m | £73.50  |
| PC-CONSL300  |  |  | 300mm x 20m | £111.00 |
| PC-MAGOV60   | Extoseal - <b>Magov</b>                                  | Butyl highly <b>elastic and sticky</b> tape for <b>watertight</b> and airtight seals, including <b>round pipes</b>   | 60mm x 10m  | £28.00  |
| PC-MAGOV100  |  |  | 100mm x 10m | £49.50  |

| TAPES - expansion joint tapes for window/door surround filling - diffusion open, resistant to driving rain; used in conjunction with internal vapour control |                   |   |             |        |
|--|-------------------|---|-------------|--------|
| Code   |                   |   | Dimensions  | ex VAT |
| PC-F1023   | Contega Fiden Exo | expansion joint tape - width 10mm, joint 2-3mm  | 10mm x 10m  | £3.70  |
| PC-F1523   |                   | expansion joint tape - width 15mm, joint 2-3mm  | 15mm x 10m  | £5.40  |
| PC-F1236   |                   | expansion joint tape - width 12mm; joint 3-6mm  | 12mm x 8m   | £3.80  |
| PC-F1536   |                   | expansion joint tape - width 15mm, joint 3-6mm  | 15mm x 8m   | £5.50  |
| PC-F15510  |                   | expansion joint tape - width 15mm, joint 5-10mm | 15mm x 5m   | £4.80  |
| PC-F20510  |                   | expansion joint tape - width 20mm, joint 5-10mm | 20mm x 5.6m | £6.80  |
| PC-F15712  |                   | expansion joint tape - width 15mm, joint 7-12mm | 15mm x 4.3m | £5.40  |
| PC-F20712  |                   | expansion joint tape - width 20mm, joint 7-12mm | 20mm x 4.3m | £6.60  |
| PC-F20815  |                   | expansion joint tape - width 20mm, joint 8-15mm | 20mm x 3.3m | £5.70  |
| PC-F201018   |                   | expansion joint tape - width 20, joint 10-18mm  | 20mm x 2.6m | £5.90  |

| Code        | TAPES - Other Uses |   | Dimensions   | ex VAT |
|-------------|--------------------|---|--------------|--------|
| PC-NAIDEC   | TESCON NAIDECK     | <b>double sided rubber tape - for nail sealing with Solitex Plus</b> - does not have the same glue as other Tescon tapes, but is useful to maintain airtightness when membrane nail fixings may be pulled by building activity or wind or rain. | 50mm x 20m   | £18.00 |
| PC-COM6025  | COMPEGO            | <b>For sealing to DPM or other high gauge polythene surfaces</b> , where surface bonding is required (other Proclima tapes chemically bond into the material);  | 60mm x 25m   | £17.00 |
| PC-COM10025 |                    |   | 100mm x 25m  | £31.00 |
| PC-COM15025 |                    |   | 150mm x 25m  | £45.50 |
| PC-DA-S     | DA-S Roll          | robust membrane strip with no adhesive; vapour closed - use Orcon F   | 210mm x 100m | £45.00 |

For more information or to place an order:

Tel: 01484 461705  
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

# Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00  
(stock permitting)

| PRO CLIMA |                                      | ADHESIVES/ PRIMERS  |                  |        |
|-----------|--------------------------------------|---|------------------|--------|
| Code      | ADHESIVES                            |   | Dimensions       | ex VAT |
| PC-O      | <b>ORCON F - Cartridge</b>           | <b>Multipurpose adhesive, permanently elastic, high adhesion, quick drying</b> , very low VOC rating, apply above -10°C, uses standard applicator frame | 310ml            | £7.00  |
| PC-0600   | ORCON F - Foil                       | Larger foil pack -needs special extrusion gun, as below   | 600ml            | £10.00 |
| PC-OE600F | Orcon Extrusion Gun - for 600ml foil | Quality dispensing adaptor for multi-use work with 600ml ORCON F foils  |                  | £46.00 |
| PC-OMB    | Orcon Multibond                      | Roll of Orcon F joint adhesive as a bead with peel off strip; apply above -15°C; immediately airtight, permanently elastic, with high adhesion.         | 3mm x 11mm x 10m | £17.50 |
| PC-GLUMEX | GLUMEX                               | Removes ORCON F adhesive when still tacky, proclima tape adhesive, as well as oil spots, tar and shoe polish  | 400ml            | £16.00 |
| PC-C      | ECO COLL                             | A natural latex adhesive for use in conjunction with the paper based DB+ membrane.  | 310 ml           | £8.00  |

| Code     | PRIMERS              |   | Dimensions | ex VAT |
|----------|----------------------|---|------------|--------|
| PC-TPRP1 | <b>Tescon primer</b> | Primer coat to increase adhesion for tapes & Orcon F, no drying required, deep penetration, excellent hardening, may be used in slightly damp or frosty conditions above -10°C; solvent free & not deemed environmentally hazardous; unaffected by subsequent moisture impact (unlike PVA glue); coverage 40m x 60mm; | 1000ml     | £18.00 |
| PC-TS75  | Tescon Sprimer       | As above, but spray version; use above -5°C; coverage 20m x 60mm  | 750ml      | £15.95 |

| PRO CLIMA   |                   | GROMMETS + AIRTIGHTNESS ACCESSORIES             |                     |        |
|---|-------------------|---|---------------------|--------|
| ROFLEX GROMMETS - standard; rubber (EPDM) seal for airtightness around ducts/pipes, need taping to wall surface |                   |   |                     |        |
| Code  |                   |   | for pipe dimensions | ex VAT |
| PC-R20  | ROFLEX 20         | (R20 is self-adhesive) external dims 145x145mm  | 15 - 30mm           | £3.30  |
| PC-R30  | ROFLEX 30         | External dimensions 140mm x 140mm               | 30 - 50mm           | £5.00  |
| PC-R50  | ROFLEX 50         | External dimensions 140mm x 140mm               | 50 - 90mm           | £5.00  |
| PC-R100   | ROFLEX 100        | External dimensions 200mm x 200mm               | 100 - 120mm         | £5.25  |
| PC-R150   | ROFLEX 150        | External dimensions 250mm x 250mm               | 120 - 170mm         | £7.00  |
| PC-R200   | ROFLEX 200        | External dimensions 300mm x 300mm               | 170 - 220mm         | £8.75  |
| PC-R250   | ROFLEX 250        | External dimensions 450mm x 450mm               | 220 - 270mm         | £12.75 |
| PC-R300   | ROFLEX 300        | External dimensions 450mm x 450mm               | 270 - 320mm         | £15.75 |
| ROFLEX SOLIDO GROMMETS pre-taped with Solido Exo for easy installation  |                   |   |                     |        |
| Code  |                   |   | for pipe dimensions | ex VAT |
| PC-RS50   | ROFLEX Solido 50  | Suits duct size 50-80mm - 200mm across grommet  | 50mm - 80mm         | £4.15  |
| PC-RS100  | ROFLEX Solido 100 | Suits duct size 90-120mm - 250mm across grommet | 90mm-120mm          | £5.40  |
| PC-RS150  | ROFLEX Solido 150 | Suits pipe size 130-170mm; 296mm across grommet | 130mm-170mm         | £7.55  |
| PC-RS200  | ROFLEX Solido 200 | Suits pipe size 180-220mm; 346mm across grommet | 180mm-220mm         | £10.35 |
| KAFLEX GROMMETS for maintaining airtightness with electrical cable penetrations                                 |                   |   |                     |        |
| Code  |                   |   | cable penetrations  | ex VAT |
| PC-KM612  | KAFLEX mono       | self adhesive (external dims. 145mm x 145mm)    | 1 cable             | £2.90  |
| PC-KDUO   | KAFLEX duo        | self adhesive (external dims. 145mm x 145mm)    | 2 cables            | £2.90  |
| PC-KMULTI   | KAFLEX multi      | self adhesive (external dims. 145mm x 145mm)    | up to 16 cables     | £9.75  |

For more information or to place an order:

Tel: 01484 461705  
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

# Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00  
(stock permitting)

| ELECTRICAL accessories |             |  | dimensions               | ex VAT |
|------------------------|-------------|--|--------------------------|--------|
| PC-OSBMaxiB            | Maxi Box    | airtight box for enclosing downlighters - larger size      | 320mmx320mmx160mm        | £12.00 |
| PC-OSBMiniB            | Mini Box    | airtight box for enclosing downlighters - smaller size     | 200mmx200x140mm          | £10.00 |
| PC-S20                 | STOPPA 20mm | airtight plug for cable entry to duct or for Maxi/Mini box | Internal diametre 15mm   | £0.75  |
| PC-S25                 | STOPPA 25mm | airtight plug for cable entry to duct or for Maxi/Mini box | Internal diametre 19.5mm | £0.80  |
| PC-S40                 | STOPPA 40mm | airtight plug for cable entry to duct                      | Internal diametre 31.5mm | £0.95  |

| WELLHOFER ATTIC HATCHES airtightness certification is Class 4; Passivhaus Certified hatch UD 0.77 W/m <sup>2</sup> K |                                      |  |   |         |
|--|--------------------------------------|--|---|---------|
| - note all hatch openings 15 mm smaller than dimensions  |                                      |  | dimensions                                    | ex VAT  |
| WCPHAH*  | attic hatch 1300L x 650W x 500H mm   | <b>PASSIVHAUS certified</b> attic hatch with ladder as required. The hatch itself has a u-value of 0.58W/m <sup>2</sup> K, but the whole unit u-value (U <sub>D</sub> ) is 0.77 W/m <sup>2</sup> K | various ladder lengths available at same cost | £705.00 |
| PC-WAH4D1  | attic hatch 1200L x 600W x 250H mm   | standard size <b>certified AIRTIGHT</b> attic hatch, with type 260 wooden ladder (hatch insulation u-value 0.58 W/m <sup>2</sup> K)  | ladder ceiling height 2580mm x 2709mm         | £370.00 |
| PC-WAHD2*  | attic hatch - 1300L x 600W x 250H mm | large <b>certified AIRTIGHT</b> attic hatch; insulation u-value 0.58 W/m <sup>2</sup> K; with longer ladder, type 290 wooden this hatch is special order only                                      | ladder ceiling height 2830mm x 2979mm         | £390.00 |
| PC-WAHD3*  | attic hatch - 1300L x 600W x 250H mm | large <b>certified AIRTIGHT</b> attic hatch with extra long ladder, (insulation u-value 0.58 W/m <sup>2</sup> K) type 300 wooden version   | ladder ceiling height 2980mm x 3119mm         | £405.00 |
| WAHL*  | Attic Hatch 1000L x 600W x 250H mm   | small opening certified attic hatch, with 'Liliput' concertina ladder  | ladder ceiling height min1900-max 3600mm      | £605.00 |
| WACL*  | alternative ladder                   | aluminium concertina ladder with back board; 11 steps  | ceiling 2400mm-2670mm                         | £315.00 |
| WWHR*  | optional handrail                    | wooden handrail for standard attic hatch ladders   |   | £15.00  |
| WAHRT*   | optional handrail                    | aluminium telescopic handrail for Liliput ladder   |   | £35.00  |
| PC-WAAH600   | access hatch 600 x 600 x 100         | small access hatch without ladder, hatch U-Value 0.75 W/m <sup>2</sup> K, supplied with specialist seals, closing mechanism + push/pull rod, airtight architrave trims                             | no ladder                                     | £136.00 |

\* special order items. Some other attic hatch sizes available on special order. Please enquire for all carriage costs.

| AIR TEST |            |                                 | ex VAT      |
|----------|------------|---------------------------------|-------------|
| PC-WIN   | AIRTESTING | Wincon airtight testing machine | 220v £1,900 |

| DELIVERY      | Mainland England and Wales and Southern Scotland | Timescales - for stock items                | ex VAT |
|---------------|--|---|--------|
| small bag     | courier  | up to 2 standard sized rolls tape (max 5kg) | £7.50  |
| up to 20kg    | courier  | up to 20 standard sized rolls tape          | £15.00 |
| 1 long roll   | courier  | 1 roll membrane (1.5m long)                 | £15.00 |
| 2 long rolls  | courier  | 2 rolls membrane (1.5m long)                | £20.00 |
| 3+ long rolls | pallet load - by lorry                           | 3 or more rolls membrane (1.5m long)        | £57.00 |
| large         | pallet load - by lorry                           |   | £57.00 |

Please phone us on **01484 461705** to confirm delivery times and costs

For more information or to place an order:

Tel: 01484 461705  
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk