

Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00
(stock permitting)

PRO CLIMA

MEMBRANES

Code	INTERNAL		Dimensions per roll	ex VAT
PC-IP50	INTELLO PLUS	Robust vapour check/ internal airtight membrane , with intelligent vapour diffusion allowing drying to the inside in summer due to variable permeability; maximum protection against moisture damage; widely used in timber frame buildings	1.5m X 50m - 75m ²	£180.00
PC-IP20			1.5m X 20m - 30m ²	£82.00
PC-IP5030			3m x 50m - 150m ²	£362.00
PC-DB+	DB PLUS	Paper based vapour check/ airtight membrane for intelligent vapour diffusion - for those wanting more ecological solution; delicate to install	1.35m X 50m - 67.5m ²	£127.00
PC-CV2350	Constivap	Simple vapour barrier and airtight sealing membrane , semi-transparent, not breathable	1.5m X 50m - 75m ²	£126.00
PC-DA	Solitex DA	robust vapour check (diffusion closed) - suitable for areas with heavy ware & tear	1.5m X 50m - 75m ²	£133.00

Code	EXTERNAL		Dimensions	ex VAT
PC-SP1	SOLITEX PLUS	Highly vapour permeable and robust roof underlay with exceptional weather tightness in all conditions; closed cell technology ensures breathability is maintained in extreme wet and cold conditions, where microporous membranes can fail	1.5m x 50m -75m ²	£174.50
PC-SP2			Solitex plus small roll	1.5m x 15m - 22.5m ²
PC-FWA150	SOLITEX FRONTA WA	Vapour permeable fully windtight breather membrane, designed as a wall lining membrane for timber frame structures ; also ideal for use as an airtight breathable membrane when insulating a suspended timber floor - install on the cold side/underneath the insulation.	1.5m x 50m - 75m ²	£110.00
PC-FWA300			3.0m x 50m - 150m ²	£219.00
PC-FQ	SOLITEX Quattro	Highly diffusion permeable, but with maximum resistance to driving rain; for use with open & closed facades , with up to 35mm gap; designed to maximise ability for drying of wall structure; tested for up to 6 months UV/outdoor exposure	1.5 x 50m - 75m ²	£216.00
PC-SEA	SOLITEX Adhero	Sticky version of the Solitex Plus, for external wrapping of timber frame building. Highly diffusion permeable/breathable and weather resistant, but with resistance to driving rain (10,000mm), UV tollerant (3 months exposure) and the trademark Proclima deep penetration all acrylic glue with its 100 year aging certification.	1.5 x 50m - 75m ²	£288.00

PRO CLIMA

PAINT / SPRAY

Code	Paint/Spray on airtightness		unit size	ex VAT
PC-AV10	Aerosana Viscon	water based paint or spray on airtightness covering awkward surfaces, including soft or uneven materials. Aerosana Viscon provides long term airtightness and vapour control, maintaining its elasticity and sticking to substrate; can be used in conjunction with tapes and membranes; 2 coats needed.	10 litre	£94.40

For more information or to place an order:

Tel: 01484 461705
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00
(stock permitting)

PRO CLIMA		TAPES		
Code			Dimensions	ex VAT
Airtightness Tapes - window/door membrane sealing				
Solid acrylic glue tapes - tested under accelerated ageing, confirming airtightness maintained for 100 years				
PC-TV	TESCON Vana	Multipurpose tape, for straight joints, including membranes, timber, smooth blockwork, etc.	60mm x 30m	£22.50
PC-TV150	TESCON Vana - wide	As above, wide version, with split backing	150mm x 30m	£55.00
PC-TVP	TESCON PROFIL	Flexible corner sealing tape, designed for window/door sealing with split backing strips 12mm and 48mm	60mm x 30m	£28.00
PC-TES1	TESCON N0 1	More stretchy version of Tescon Vana and Profil, useful for awkward joins or uneven surfaces	60mm x 30m	£22.50
PC-TINVIS	TESCON INVIS	Black version of Tescon Vana for concealing junctions, designed for sealing of external membrane in timber frame construction, UV resistant properties for up to 6 months	60mm x 30m	£24.00
PC-T	UNI TAPE	Value tape paper-based, not stretchy, but same solid acrylic glue, internal use only	60mm x 30m	£18.00

TAPES - for plastering in - internal airtight & vapour retarding - solid acrylic glue				
Code			Dimensions	ex VAT
PC-SOLSL80	CONTEGA SOLIDO SL	for internal sealing of windows /doors and linking membrane to plaster surfaces , providing outstanding vapour control; fleece face is easy to plaster in ; 80mm	80mm x 30m	£35.00
PC-SOLSL100		has 2 peel off backing strips; 100 and 150 mm have 3	100mm x 30m	£43.50
PC-SOLSL150		backing strips; very sticky tape; widely used	150mm x 30m	£64.00
PC-SOLSL200*	<i>non stock item</i>		200mm x 30m	£85.50
PC-SOLSLD80	SOLIDO SL - D	as above, but with additional adhesive strip on top side, for pre-sealing to window/door frame, prior to installation	80mm x 30m	£49.00
PC-SOLSLD100			100mm x 30m	£58.00

PC-DA-S	DA-S Roll	robust membrane strip with no adhesive; vapour closed - use Orcon F	210mm x 100m	£45.00
---------	-----------	---	--------------	--------

TAPES - for plastering in - external, diffusion open (vapour permeable, like the Solitex membranes)				
Code			Dimensions	ex VAT
PC-SOLEX080	CONTEGA SOLIDO EXO	for external sealing of windows and doors and plastering over; diffusion open fully windproof and resistant to driving rain; (2 peel off backing strips for 80mm to 150mm width rolls and 3 on the 200mm rolls)	80mm x 30m	£35.00
PC-SOLEX0100			100mm x 30	£43.50
PC-SOLEX0150			150mm x 30m	£64.00
PC-SOLEX0200			200mm x 30	£85.50
PC-SOLEX0D80	SOLIDO EXO - D	as above, but with additional adhesive strip on top side, for pre-sealing to window/door frame, prior to installation	80mm x 30m	£49.00
PC-SOLEX0D100			100mm x 30	£58.00

For more information or to place an order:

Tel: 01484 461705
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00
(stock permitting)

PRO CLIMA		TAPES continued		
Code	TAPES - extremely robust Butyl adhesive waterproof tapes		Dimensions	ex VAT
PC-ENCORS100	Extoseal - Encors	Butyl water bearing adhesive connection tape with high adhesion strength useful externally under window sills as a watertight flashing. The only Proclima Butyl tape with the Proclima solid acrylic glue. Not suitable for prolonged UV exposure.	100mm x 20m	£64.50
PC-ENCORS150			150mm x 20m	£95.50
PC-ENCORS200			200mm x 20m	£128.50
PC-ENCORS300			300mm x 20m	£192.50
PC-FINOC100	Extoseal - Finoc	Butyl water tight elastic sealing tape useful for floor wall junctions also on structural elements to prevent rising damp	100mm x 20m	£37.00
PC-FINOC150			150mm x 20m	£53.50
PC-FINOC200			200mm x 20m	£73.50
PC-CONSL300			300mm x 20m	£111.00
PC-MAGOV60	Extoseal - Magov	Butyl highly elastic and sticky tape for watertight and airtight seals, including round pipes	60mm x 10m	£28.00
PC-MAGOV100			100mm x 10m	£49.50

TAPES - expansion joint tapes for window/door surround filling - diffusion open, resistant to driving rain; used in conjunction with internal vapour control				
Code			Dimensions	ex VAT
PC-F1023	Contega Fiden Exo	expansion joint tape - width 10mm, joint 2-3mm	10mm x 10m	£3.70
PC-F1523		expansion joint tape - width 15mm, joint 2-3mm	15mm x 10m	£5.40
PC-F1236		expansion joint tape - width 12mm; joint 3-6mm	12mm x 8m	£3.80
PC-F1536		expansion joint tape - width 15mm, joint 3-6mm	15mm x 8m	£5.50
PC-F15510		expansion joint tape - width 15mm, joint 5-10mm	15mm x 5m	£5.40
PC-F20510		expansion joint tape - width 20mm, joint 5-10mm	20mm x 5.6m	£6.80
PC-F15712		expansion joint tape - width 15mm, joint 7-12mm	15mm x 4.3m	£5.40
PC-F20712		expansion joint tape - width 20mm, joint 7-12mm	20mm x 4.3m	£6.60
PC-F20815		expansion joint tape - width 20mm, joint 8-15mm	20mm x 3.3m	£5.70
PC-F201018		expansion joint tape - width 20, joint 10-18mm	20mm x 2.6m	£5.90

Code	TAPES - Other Uses		Dimensions	ex VAT
PC-NAIDEC	TESCON NAIDECK	double sided rubber tape - for nail sealing with Solitex Plus - does not have the same glue as other Tescon tapes, but is useful to maintain airtightness when membrane nail fixings may be pulled by building activity or wind or rain.	50mm x 20m	£18.00
PC-COM6025	COMPEGO	For sealing to DPM or other high gauge polythene surfaces , where surface bonding is required (other Proclima tapes chemically bond into the material);	60mm x 25m	£17.00
PC-COM10025			100mm x 25m	£31.00
PC-COM15025			150mm x 25m	£45.50

For more information or to place an order:

Tel: 01484 461705
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

Airtightness Price list - trade discount available
next day delivery - on orders placed by 12.00
(stock permitting)

PRO CLIMA		ADHESIVES/ PRIMERS		Dimensions	ex VAT
Code	ADHESIVES				
PC-O	ORCON F - Cartridge	Multipurpose adhesive, permanently elastic, high adhesion, quick drying , very low VOC rating, apply above -10°C, uses standard applicator frame		310ml	£7.00
PC-0600	ORCON F - Foil	Larger foil pack -needs special extrusion gun, as below		600ml	£10.00
PC-OE600F	Orcon Extrusion Gun - for 600ml foil	Quality dispensing adaptor for multi-use work with 600ml ORCON F foils			£61.00
PC-OMB (new)	Orcon Multibond	Roll of Orcon F joint adhesive as a bead with peel off strip; apply above -15°C; immediately airtight, extremely strong waterproof adhesive	3mm x 11mm x 10m		£17.50
PC-GLUMEX	GLUMEX	Removes ORCON F adhesive when still tacky, proclima tape adhesive, as well as oil spots, tar and shoe polish		400ml	£16.00
PC-C	ECO COLL	A natural latex multipurpose adhesive, very similar to Orcon F, but without the chemical solvents. Not suitable for application below freezing, but otherwise a practical and effective permanently elastic airtightness adhesive with Proclima quality.		310 ml	£8.00

Code	PRIMERS		Dimensions	ex VAT
PC-TPRP1	Tescon primer	Primer coat to increase adhesion for tapes & Orcon F, no drying required, deep penetration, excellent hardening, may be used in slightly damp or frosty conditions above -10°C; solvent free & not deemed environmentally hazardous; unaffected by subsequent moisture impact (unlike PVA glue); coverage 40m x 60mm;	1000ml	£18.00
PC-TS75	Tescon Sprimer	As above, but spray version; use above -5°C; coverage 20m x 60mm	750ml	£15.95

PRO CLIMA		GROMMETS + AIRTIGHTNESS ACCESSORIES		
Code	ROFLEX GROMMETS - standard; rubber (EPDM) seal for airtightness around ducts/pipes, need taping to wall surface		for pipe dimensions	ex VAT
PC-R20	ROFLEX 20	(R20 is self-adhesive) external dims 145x145mm	15 - 30mm	£3.30
PC-R30	ROFLEX 30	External dimensions 140mm x 140mm	30 - 50mm	£5.00
PC-R50	ROFLEX 50	External dimensions 140mm x 140mm	50 - 90mm	£5.00
PC-R100	ROFLEX 100	External dimensions 200mm x 200mm	100 - 120mm	£5.25
PC-R150	ROFLEX 150	External dimensions 250mm x 250mm	120 - 170mm	£7.00
PC-R200	ROFLEX 200	External dimensions 300mm x 300mm	170 - 220mm	£8.75
PC-R250	ROFLEX 250	External dimensions 450mm x 450mm	220 - 270mm	£12.75
PC-R300	ROFLEX 300	External dimensions 450mm x 450mm	270 - 320mm	£15.50
Code	ROFLEX SOLIDO GROMMETS pre-taped with Solido Exo for easy installation		for pipe dimensions	ex VAT
PC-RS50	ROFLEX Solido 50	Suits duct size 50-80mm - 200mm across grommet	50mm - 80mm	£4.15
PC-RS100	ROFLEX Solido 100	Suits duct size 90-120mm - 250mm across grommet	90mm-120mm	£5.40
PC-RS150	ROFLEX Solido 150	Suits pipe size 130-170mm; 296mm across grommet	130mm-170mm	£7.55
PC-RS200	ROFLEX Solido 200	Suits pipe size 180-220mm; 346mm across grommet	180mm-220mm	£10.35
Code	KAFLEX GROMMETS for maintaining airtightness with electrical cable penetrations		cable penetrations	ex VAT
PC-KM612	KAFLEX mono	self adhesive (external dims. 145mm x 145mm)	1 cable	£2.90
PC-KDUO	KAFLEX duo	self adhesive (external dims. 145mm x 145mm)	2 cables	£2.90
PC-KMULTI	KAFLEX multi	self adhesive (external dims. 145mm x 145mm)	up to 16 cables	£9.75

For more information or to place an order:

Tel: 01484 461705
 info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk

Airtightness Price list - trade discount available

next day delivery - on orders placed by 12.00
(stock permitting)

Code	ELECTRICAL accessories		dimensions	ex VAT
PC-IB	INSTAABOX	airtight box for electrical sockets	320mm x190mm, depth 55r	£3.30
PC-OSBMiniB	safebox MINI	for flush mounted down lights	200 x 200 x 140mm	£10.00
PC-OSBMiniL	safebox mini lid	goes with the safebox mini above		£3.20
PC-OSBMaxiL	maxi box	for flush mounted down lights (can take transformer)	320 x 320 x 160mm	£12.00
PC-OSBMaxiL	safebox maxi lid	goes with safebox maxi above		£4.50
PC-S20	STOPPA 20mm	airtight plug for cable entry to duct or for Maxi/Mini box	Internal diametre 15mm	£0.75
PC-S25	STOPPA 25mm	airtight plug for cable entry to duct or for Maxi/Mini box	Internal diametre 19.5mm	£0.80

WELLHOFER ATTIC HATCHES airtightness certification is Class 4; Passivhaus Certified hatch UD 0.77 W/m ² K				
Code	- note all hatch openings 15 mm smaller than dimensions		dimensions	ex VAT
WCPHAH*	attic hatch 1300L x 650W x 500H mm	PASSIVHAUS certified attic hatch with ladder as required. The hatch itself has a u-value of 0.58W/m ² K, but the whole unit u-value (U _D) is 0.77 W/m ² K	various ladder lengths available at same cost	£705.00
PC-WAH4D1	attic hatch 1200L x 600W x 250H mm	standard size certified AIRTIGHT attic hatch, with type 260 wooden ladder (hatch insulation u-value 0.58 W/m ² K)	ladder ceiling height 2580mm x 2709mm	£370.00
PC-WAHD2*	attic hatch - 1300L x 600W x 250H mm	large certified AIRTIGHT attic hatch; insulation u-value 0.58 W/m ² K; with longer ladder, type 290 wooden this hatch is special order only	ladder ceiling height 2830mm x 2979mm	£390.00
PC-WAHD3*	attic hatch - 1300L x 600W x 250H mm	large certified AIRTIGHT attic hatch with extra long ladder, (insulation u-value 0.58 W/m ² K) type 300 wooden version	ladder ceiling height 2980mm x 3119mm	£405.00
WAHL*	Attic Hatch 1000L x 600W x 250H mm	small opening certified attic hatch, with 'Liliput' concertina ladder	ladder ceiling height min1900-max 3600mm	£605.00
WACL*	alternative ladder	aluminium concertina ladder with back board; 11 steps	ceiling 2400mm-2670mm	£315.00
WWHR*	optional handrail	wooden handrail for standard attic hatch ladders		£15.00
WAHRT*	optional handrail	aluminium telescopic handrail for Liliput ladder		£35.00
PC-WAAH600	access hatch 600 x 600 x 100	small access hatch without ladder, hatch U-Value 0.75 W/m ² K, supplied with specialist seals, closing mechanism + push/pull rod, airtight architrave trims	no ladder	£136.00

* special order items. Some other attic hatch sizes available on special order. Please enquire for all carriage costs.

Code	AIR TEST		ex VAT
PC-WIN	AIRTESTING	Wincon airtight testing machine	220v £1,900

DELIVERY	Mainland England and Wales and Southern Scotland		Timescales - for stock items	ex VAT
small bag	courier	up to 2 standard sized rolls tape (max 5kg)		£7.50
up to 20kg	courier	up to 20 standard sized rolls tape		£15.00
1 long roll	courier	1 roll membrane (1.5m long)		£15.00
2 long rolls	courier	2 rolls membrane (1.5m long)	next day (orders by 12.00)	£20.00
3+ long rolls	pallet load - by lorry	3 or more rolls membrane (1.5m long)		£57.00
large	pallet load - by lorry			£57.00

Please phone us on **01484 461705** to confirm delivery times and costs

For more information or to place an order:

Tel: 01484 461705
info@greenbuildingstore.co.uk



www.greenbuildingstore.co.uk